Journal of Immuological Methods, 107 (1988) 293–294
Elsevier

Contents to volume 107 (1988)

Number 1 – 24 February 1988

Research reports

Quantitation of elastin in human urine and rat pleural mesothelial cell matrix by a sensitive avidin-biotin ELISA for desmosine (JIM 04629)
P. Laurent, L. Magne, J. De Palmas, J. Bignon and M.-C. Jaurand (France) 1

Electroimmunoblotting of small peptides separated on urea-dodecyl sulphate (SUDS) gels. Application to myelin basic protein (JIM 04631)
H.Z. Sheng, R.E. Martenson, P.R. Carnegie and C.C.A. Bernard (Australia, U.S.A.) 13

A sensitive, IL-2-independent, assay for IL-1 (JIM 04632)
M.A. Le Moal, M. Stoeck, J.-M. Cavaillon, H.O.R. MacDonald and P. Truffa-Bachi (France, Switzerland) 23

A comparative investigation of three methods of separation of CD4 and CD8 cells from human peripheral blood cells (JIM 04633)
C. Young and T. Lehner (U.K.) 31

Establishment of a highly sensitive enzyme-linked immunosorbent assay for interleukin-1α employing a fluorogenic substrate (JIM 04634)
N. Mukaida, T. Kasahara, Y. Ko and T. Kawai (Japan) 41

In vivo activation of quiescent B cells by anti-immunoglobulin. II. Production of lysozyme-specific monoclonal antibodies of desired isotype (JIM 04639)
D.W. Metzger and W.S. Walker (U.S.A.) 47

Benzoquinone activation of *Cryptococcus neoformans* capsular polysaccharide for construction of an immunoaffinity column (JIM 04640)
T.R. Kozel and C.A. Hermerath (U.S.A.) 53

Establishment of human Ig producing heterohybridomas by fusion of mouse myeloma cells with human lymphocytes derived from peripheral blood, bone marrow, spleen, lymph node, and synovial fluid. Effect of polyclonal prestimulation and cryopreservation (JIM 04641)
S. Jahn, R. Grunow, S.T. Kiessig, U. Specht, H. Matthes, F. Hiepe, A. Hlinak and R. Von Baehr (G.D.R.) 59

Detection of α_1-antitrypsin from recombinant *Escherichia coli* lysates utilizing the particle concentration fluorescence immunoassay (JIM 04642)
B.J. Del Tito, Jr., D.W. Zabriskie and E.J. Arcuri (U.S.A.) 67

Natural killer function in flow cytometry. I. Evaluation of NK lytic activity on K562 cell line (JIM 04643)
S. Papa, M. Vitale, A.R. Mariani, P. Roda, A. Facchini and F.A. Manzoli (Italy) 73

Double and triple staining methods for studying the proliferative activity of human B and T lymphoid cells (JIM 04644)
D. Campana, E. Coustan-Smith and G. Janossy (U.K.) 79

An automated device for immunocytochemistry (JIM 04645)
E. Stark, D. Faltinat and R. Von der Fecht (F.R.G.) 89

A useful method for determining class-specific rheumatoid factors with computerized analyses of data (JIM 04646)
P.L. Gigase, C.H. Bridts, L.S. De Clerck and W.J. Stevens (Belgium) 93

A competitive enzyme-linked immunoassay (ELISA) for the measurement of soluble human interleukin-2 receptors (IL-2R, Tac protein) (JIM 04647)
A.M. Goldstein, L. Marcon, B.R. Cullen and D.L. Nelson (U.S.A.) 103

A rapid assay for measuring both colony size and cytolytic activity of limiting dilution microcultures (JIM 04648)
A. Grailer, H.W. Sollinger and W.J. Burlingham (U.S.A.) 111

Hazards of the limiting-dilution method of cloning hybridomas (JIM 04650)
P.A. Underwood and P.A. Bean (Australia) 119

Effects of interferon on natural killer (NK) cells assessed by fluorescent probes and flow cytometry (JIM 04651)
K. McGinnes, G. Chapman and R. Penny (Australia) 129

Long-term growth of human T cell lines and clones on anti-CD3 antibody-treated tissue culture plates (JIM 04652)
F.C. Garbrecht, C. Russo and M.E. Weksler (U.S.A.) 137

Transfer of proteins from acrylamide gels to nitrocellulose paper after silver stain detection (JIM 04654)
T.J. Nalty and L.C. Yeoman (U.S.A.) 143

Short communication
Evaluation of monoclonality of cell lines from sequential dilution assays. Part II (JIM 04728)
J.A. Koziol (U.S.A.) 151

Letter to the editor
Reaction to the letter: Is that what you mean? (JIM 04729)
D.I. Stott (U.K.) 153

Book review 155

Notes to authors 156

Number 2 – 16 March 1988

Research reports
Modification and application of a simple, surface hydrophobicity detection method to immune cells (JIM 04655)
B.W. Hazen and K.C. Hazen (U.S.A.) 157
A sensitive dot blot procedure for detecting mRNA in lymphoid cells grown in liquid culture (JIM 04656)
P. Benveniste, H. Derry, G.E. Wu, C.J. Paige and R.G. Miller (Switzerland, Canada) 165
A solid-phase immunoassay to screen anti-HLA monoclonal antibodies (JIM 04657)
H. Okada, R. Ono, J.C. Addonizio, G.R. Nagamatsu and S. Ferrone (U.S.A.) 179
A novel method for the purification of sheep red cell rosetting lymphocytes (JIM 04658)
S. Mikamo (Japan) 189
An ELISA for the detection of anti-acetylcholine receptor antibodies using biotinylated α-bungarotoxin (JIM 04659)
A. Quinn, R. Harrison, A.M.T. Jehanli, G.G. Lunt and S. Walsh (U.K.) 197
An ELISA for the measurement of VP16 (etoposide) in unextracted plasma (JIM 04661)
H.P. Henneberry, G.W. Aherne and V. Marks (U.K.) 205
Use of OKT3 hybridoma cells to clonally activate $CD3^+$ human T lymphocytes (JIM 04662)
D. Kabelitz, O. Janssen and C. Brucker (F.R.G.) 211
A sensitive method of detecting proteins on dot and Western blots using a monoclonal antibody to FITC (JIM 04663)
D. Samuel, R.J. Patt and R.A. Abuknesha (U.K.) 217
A new microsphere-based immunofluorescence assay using flow cytometry (JIM 04664)
M.R. Wilson and J.S. Wotherspoon (Australia) 225
A new microsphere-based immunofluorescence assay for antibodies to membrane-associated antigens (JIM 04665)
M.R. Wilson, S.P. Mulligan and R.L. Raison (Australia) 231
Coupling redox and enzymic reactions improves the sensitivity of the ELISA-spot assay (JIM 04666)
C. Francí and J. Vidal (Spain) 239
Mitomycin C-treated 3T3/B (3T3/A31) cell feeder layers in hybridoma technology (JIM 04667)
R.N. Butcher, K.C. McCullough, C. Jarry and J. Bryant (U.K.) 245
Electrotransfer of proteins following polyacrylamide gel electrophoresis. Nitrocellulose versus nylon membranes (JIM 04668)
L. Miribel and P. Arnaud (U.S.A.) 253
A simple and rapid method for preparation of HIV-expressing targets for functional assays (JIM 04669)
P.G. Nishanian, E. Ojo-Amaize, C.H. Uittenbogaart and J.V. Giorgi (U.S.A.) 261
Enzyme-labeled type III bacterial Fc receptors. A versatile tracer for immunoassay (JIM 04670)
K.J. Reis, G.O. Von Mering, M.A. Karis, E.L. Faulmann, R. Lottenberg and M.D.P. Boyle (U.S.A.) 273
A simplified assay for the detection of C3a in human plasma employing a monoclonal antibody raised against denatured C3 (JIM 04671)
B. Nilsson, K.-E. Svensson, M. Inganäs and U.R. Nilsson (Sweden) 281

Letter to the editors
Rescue of hybrids from infected cultures (JIM 04749)
G. Singh and S. Kubias (U.K.) 289

Book reviews 291

Contents to volume 107 (1988) 293

Author index to volume 107 (1988) 295

Key word index to volume 107 (1988) 299

Notes to authors 304